

# Galaxy - Green Apple 10

(949) 266-6722 http://www.pmllabs.com Lic# C8-0000143-LIC

#### **QA** Testing

1 of 3


Result

Pass

Pass

Pass

Pass



**Purity Medical Laboratories** 

9461 Irvine Center Drive

Irvine, CA 92618

#### Cannabinoids

|           | 9.905 mg/serving |       |  | ND   |  |                              | 21.197 mg/serving  |
|-----------|------------------|-------|--|--|--|------------------------------|--------------------|
|           | Total THC        |       |  | Total CBD  |  |                              | Total Cannabinoids |
| Analyte   | LOD              | LOQ   | Result   | Result   | Result   | Result                       |                    |
|           | mg/g             | mg/g  | %  | mg/g   | mg/serving   | mg/container                 |                    |
| THCa      | 0.012            | 0.040 | 0.0210   | 0.210  | 0.840  | 8.400                        |                    |
| ∆9-THC    | 0.012            | 0.040 | 0.2292   | 2.292  | 9.168  | 91.680                       |                    |
| ∆8-THC    | 0.012            | 0.040 | ND   | ND   | ND   | ND                           |                    |
| THCV      | 0.012            | 0.040 | 0.0200   | 0.200  | 0.800  | 8.000                        |                    |
| THCp      | 0.020            | 0.040 | ND   | ND   | ND   | ND                           |                    |
| CBDa      | 0.012            | 0.040 | ND   | ND   | ND   | ND                           |                    |
| CBD       | 0.012            | 0.040 | ND   | ND   | ND   | ND                           |                    |
| CBDVa     | 0.012            | 0.040 | ND   | ND   | ND   | ND                           |                    |
| CBDV      | 0.012            | 0.040 | ND   | ND   | ND   | ND                           |                    |
| CBN       | 0.012            | 0.040 | ND   | ND   | ND   | ND                           |                    |
| CBGa      | 0.012            | 0.040 | <loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<></td></loq<> | <loq< td=""><td><loq< td=""><td><loq< td=""><td></td></loq<></td></loq<></td></loq<> | <loq< td=""><td><loq< td=""><td></td></loq<></td></loq<> | <loq< td=""><td></td></loq<> |                    |
| CBG       | 0.012            | 0.040 | 0.0049   | 0.049  | 0.196  | 1.960                        | 1                  |
| CBC       | 0.020            | 0.040 | 0.2574   | 2.574  | 10.296   | 102.960                      |                    |
| CBL       | 0.012            | 0.040 | ND   | ND   | ND   | ND                           |                    |
| Total THC |                  |       | 0.2476   | 2.4762   | 9.9047   | 99.0468                      |                    |
| Total CBD |                  |       | ND   | ND   | ND   | ND                           |                    |
| Total     |                  |       | 0.5299   | 5.2992   | 21.1967  | 211.9668                     |                    |

Total THC =  $\Delta$ 9-THC +  $\Delta$ 8-THC + (0.877 × THCa) Total CBD = CBD + (0.877 × CBDa)

Total Cannabinoids =  $\Sigma$  (Neutral Cannabinoids) + [0.877 ×  $\Sigma$  (Acidic Cannabinoids)]

Date Tested: 05/13/2024 Method: PML-HPLC-100 Instrument: UHPLC

10.0 servings per container.

Limit for Edible products: 10 milligrams THC per serving 100 milligrams THC per package

Limit for Topicals and Concentrates: 1,000 milligrams THC per package



Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

Han Suk Kim, Ph.D Laboratory Director 05/13/2024

This product has been tested by Purity Medical Laboratories using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the sample products as received and tested, Purity Medical Laboratories makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced escenting the following abbreviations for Limit of Detection (LOD), Limit of Quantitation (LOQ), and Not Detected (ND) are applied Uncertainty measurement calculations are not factored into the final results and do not contribute in the decision of a bass/fail for the socified analytes

Pass



#### Purity Medical Laboratories 9461 Irvine Center Drive Irvine, CA 92618

(949) 266-6722 http://www.pmllabs.com Lic# C8-0000143-LIC

#### **QA** Testing

2 of 3

Pass

Sample ID: 2405PML0353.1513 Produced: Distributor Producer Strain: Green Apple Collected: 05/02/2024 DGU LLC NS-S3 Consulting Matrix: Ingestible Received: 05/03/2024 Lic. # CDPH-10004783 Type: Soft Chew Completed: 05/13/2024 9350 Trade PI Ste A San Diego, CA 92126 Sample Size: ; Batch: 1 units Batch#: Green Apple 10

## **Category I Pesticides**

| Analyte      | LOD    | LOQ    | Limit  | Result | Status |
|--------------|--------|--------|--------|--------|--------|
|              | µg/g   | µg/g   | µg/g   | µg/g   |        |
| Aldicarb     | 0.0142 | 0.0431 | 0.0142 | ND     | Pass   |
| Carbofuran   | 0.0177 | 0.0535 | 0.0177 | ND     | Pass   |
| Chlordane    | 0.0206 | 0.0625 | 0.0206 | ND     | Pass   |
| Chlorfenapyr | 0.0206 | 0.0625 | 0.0206 | ND     | Pass   |
| Chlorpyrifos | 0.0103 | 0.0313 | 0.0103 | ND     | Pass   |
| Coumaphos    | 0.0134 | 0.0407 | 0.0134 | ND     | Pass   |
| Daminozide   | 0.0107 | 0.0323 | 0.0107 | ND     | Pass   |
| Dichlorvos   | 0.0222 | 0.0672 | 0.0222 | ND     | Pass   |
| Dimethoate   | 0.0048 | 0.02   | 0.0048 | ND     | Pass   |
| Ethoprophos  | 0.0066 | 0.0201 | 0.0066 | ND     | Pass   |
| Etofenprox   | 0.0048 | 0.02   | 0.0048 | ND     | Pass   |

#### LOD LOQ Analyte Limit Result Status µg/g µg/g µg/g µg/g 0.049 ND Pass Fenoxycarb 0.0041 0.0041 Fipronil ND Pass Imazalil 0.0216 0.0654 0.0216 ND Pass Methiocarb 0.0092 0.0092 ND Pass 0.0918 Mevinphos 0.0303 ND Pass ND Paclobutrazol 0.0167 Pass Parathion Methyl 0.0272 0.0825 0.0272 ND Pass Propoxur 0.0082 0.0249 0.0082 ND Pass Spiroxamine 0.0106 0.0106 ND Pass Thiacloprid 0.0067 0.0203 0.0067 ND Pass

# **Category II Pesticides**

| Analyte             | LOD    | LOQ    | Limit | Result | Status | Analyte                 | LOD    | LOQ    | Limit | Result | Status |
|---------------------|--------|--------|-------|--------|--------|-------------------------|--------|--------|-------|--------|--------|
|                     | µg/g   | µg/g   | µg/g  | µg/g   |        |                         | µg/g   | µg/g   | µg/g  | µg/g   |        |
| Abamectin           | 0.0106 | 0.0321 | 0.3   | ND     | Pass   | Kresoxim Methyl         | 0.0148 | 0.0447 | 1     | ND     | Pass   |
| Acephate            | 0.0066 | 0.02   | 5     | ND     | Pass   | Malathion               | 0.0249 | 0.0756 | 5     | ND     | Pass   |
| Acequinocyl         | 0.0064 | 0.02   | 4     | ND     | Pass   | Metalaxyl               | 0.0039 | 0.02   | 15    | ND     | Pass   |
| Acetamiprid         | 0.0063 | 0.02   | 5     | ND     | Pass   | Methomyl                | 0.011  | 0.0335 | 0.1   | ND     | Pass   |
| Azoxystrobin        | 0.007  | 0.0214 | 40    | ND     | Pass   | Myclobutanil            | 0.0164 | 0.0498 | 9     | ND     | Pass   |
| Bifenazate          | 0.0079 | 0.0238 | 5     | ND     | Pass   | Naled                   | 0.0097 | 0.0294 | 0.5   | ND     | Pass   |
| Bifenthrin          | 0.0063 | 0.02   | 0.5   | ND     | Pass   | Oxamyl                  | 0.0135 | 0.0409 | 0.2   | ND     | Pass   |
| Boscalid            | 0.0163 | 0.0495 | 10    | ND     | Pass   | Pentachloronitrobenzene | 0.0041 | 0.0125 | 0.2   | ND     | Pass   |
| Captan              | 0.2063 | 0.625  | 5     | ND     | Pass   | Permethrin              | 0.0069 | 0.021  | 20    | ND     | Pass   |
| Carbaryl            | 0.014  | 0.0423 | 0.5   | ND     | Pass   | Phosmet                 | 0.0099 | 0.0301 | 0.2   | ND     | Pass   |
| Chlorantraniliprole | 0.0104 | 0.0314 | 40    | ND     | Pass   | Piperonyl Butoxide      | 0.0291 | 0.0883 | 8     | ND     | Pass   |
| Clofentezine        | 0.0131 | 0.0396 | 0.5   | ND     | Pass   | Prallethrin             | 0.0235 | 0.0712 | 0.4   | ND     | Pass   |
| Cyfluthrin          | 0.2063 | 0.625  | 1     | ND     | Pass   | Propiconazole           | 0.0268 | 0.0812 | 20    | ND     | Pass   |
| Cypermethrin        | 0.0206 | 0.0625 | 1     | ND     | Pass   | Pyrethrins              | 0.0156 | 0.0473 | 1     | ND     | Pass   |
| Diazinon            | 0.0075 | 0.0228 | 0.2   | ND     | Pass   | Pyridaben               | 0.0043 | 0.02   | 3     | ND     | Pass   |
| Dimethomorph        | 0.0104 | 0.0316 | 20    | ND     | Pass   | Spinetoram              | 0.0054 | 0.0165 | 3     | ND     | Pass   |
| Etoxazole           | 0.0069 | 0.0209 | 1.5   | ND     | Pass   | Spinosad                | 0.005  | 0.0152 | 3     | ND     | Pass   |
| Fenhexamid          | 0.0164 | 0.0498 | 10    | ND     | Pass   | Spiromesifen            | 0.0161 | 0.0487 | 12    | ND     | Pass   |
| Fenpyroximate       | 0.0056 | 0.02   | 2     | ND     | Pass   | Spirotetramat           | 0.0176 | 0.0532 | 13    | ND     | Pass   |
| Flonicamid          | 0.0159 | 0.0482 | 2     | ND     | Pass   | Tebuconazole            | 0.0202 | 0.0613 | 2     | ND     | Pass   |
| Fludioxonil         | 0.0127 | 0.0386 | 30    | ND     | Pass   | Thiamethoxam            | 0.0077 | 0.0234 | 4.5   | ND     | Pass   |
| Hexythiazox         | 0.0088 | 0.0266 | 2     | ND     | Pass   | Trifloxystrobin         | 0.0112 | 0.034  | 30    | ND     | Pass   |
| Imidacloprid        | 0.0097 | 0.0295 | 3     | ND     | Pass   |                         |        |        |       |        |        |

#### Date Tested: 05/10/2024 Method: PML-LCGCTQ-300 Instruments: LC-MS/MS, GC-TQ



Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

Han Suk Kim, Ph.D Laboratory Director 05/13/2024

This product has been tested by Purity Medical Laboratories using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the sample products as received and tested. Purity Medical Laboratories makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reporduced except in full, without the written approval of Purity Medical Laboratories. The following abbreviations for Limit of Detection (LOD), Limit of Quantitation (LOQ), and Not Detected (ND) are applied Uncertainty measurement calculations are not factored into the nal results and do not contribute in the decision of a pass/fail for the specified and Net Sec.

## Pass



Purity Medical Laboratories 9461 Irvine Center Drive Irvine, CA 92618 (949) 266-6722 http://www.pmllabs.com Lic# C8-0000143-LIC

#### **QA** Testing

3 of 3

Pass

| Sample ID: 2405PML0353.1513<br>Strain: Green Apple | Produced:<br>Collected: 05/02/2024 | Distributor<br>DGU LLC | Producer<br>NS-S3 Consulting |
|--|------------------------------------|------------------------|------------------------------|
| Matrix: Ingestible                                 | Received: 05/03/2024               | Lic. # CDPH-10004783   |                              |
| Type: Soft Chew                                    | Completed: 05/13/2024              | 9350 Trade PI Ste A    |                              |
| Sample Size: ; Batch: 1 units                      | Batch#: Green Apple 10             | San Diego, CA 92126    |                              |

## **Category I Residual Solvents**

| Analyte            | LOD  | LOQ  | Limit | Result | Status |
|--------------------|------|------|-------|--------|--------|
|                    | µg/g | µg/g | µg/g  | µg/g   |        |
| 1,2-Dichloroethane | 0.17 | 0.58 | 1.00  | ND     | Pass   |
| Benzene            | 0.10 | 0.34 | 1.00  | ND     | Pass   |
| Chloroform         | 0.16 | 0.55 | 1.00  | ND     | Pass   |
| Ethylene Oxide     | 0.23 | 0.77 | 1.00  | ND     | Pass   |
| Methylene Chloride | 0.19 | 0.62 | 1.00  | ND     | Pass   |
| Trichloroethylene  | 0.15 | 0.49 | 1.00  | ND     | Pass   |

## **Category II Residual Solvents**

| Analyte       | LOD   | LOQ    | Limit   | Result | Status |
|---------------|-------|--------|---------|--------|--------|
|               | μg/g  | µg/g   | µg/g    | µg/g   |        |
| Acetone       | 47.50 | 158.44 | 5000.00 | ND     | Pass   |
| Acetonitrile  | 61.33 | 204.58 | 410.00  | ND     | Pass   |
| Butane        | 91.27 | 304.43 | 5000.00 | ND     | Pass   |
| Ethanol       | 41.33 | 137.87 | 5000.00 | ND     | Pass   |
| Ethyl Acetate | 37.90 | 126.42 | 5000.00 | ND     | Pass   |
| Ethyl Ether   | 49.53 | 165.21 | 5000.00 | ND     | Pass   |
| Heptane       | 43.84 | 146.25 | 5000.00 | ND     | Pass   |
| n-Hexane      | 47.05 | 156.94 | 290.00  | ND     | Pass   |
| Isopropanol   | 46.59 | 155.39 | 5000.00 | ND     | Pass   |
| Methanol      | 58.19 | 194.11 | 3000.00 | ND     | Pass   |
| Pentane       | 57.82 | 192.87 | 5000.00 | ND     | Pass   |
| Propane       | 69.16 | 230.68 | 5000.00 | ND     | Pass   |
| Toluene       | 26.92 | 89.80  | 890.00  | ND     | Pass   |
| Xylenes       | 56.10 | 187.12 | 2170.00 | ND     | Pass   |

Date Tested: 05/08/2024 Method: PML-GCMSD-300 Instrument: GC-MSD



And lin

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

Han Suk Kim, Ph.D Laboratory Director 05/13/2024

This product has been tested by Purity Medical Laboratories using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the sample products as received and tested. Purity Medical Laboratories makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Purity Medical Laboratories. The following abbreviations for Limit of Detection (LOD). Limit of Quantitation (LOD), and Not Detected (ND) are applied Uncertainty measurement calculations are not factored into the final results and do not contribute in the decision of a pass/fail for the specified analytes

Pass